

# CAVIUS

PRODUCT NAME: CAVIUS SMART REMOTE

WIRELESS  
ALARM FAMILY  
SMART  
REMOTE



DANISH  
DESIGN




100%  
TESTED



WIRELESS  
ALARM FAMILY

SMART  
REMOTE



PRODUCT NUMBER: CV9001





**PRODUCT NAME:** CAVIUS SMART REMOTE

**PRODUCT NUMBER:** CV9001

## PRODUCT DATA:

### DEVICE TYPE:

Smart remote with emergency light.

### USAGE:

Designed to alert with a rapid flashing warning light, vibration and buzzing when alarming and to remote control the CAVIUS Wireless alarms Family. Torch function to find escape routes at night.

### FUNCTION:

The alarm conditions is indicated by a stroboscopic flashlight.

A normal flashlight can also be activated by pressing the side button.

Flashlight will flash at 2 Hertz (2 times each second) to avoid photo sensitive epilepsy to be triggered.

### INSTALLATION POSITION:

The body of the remote has a build-in magnet so that the remote can be installed on metal surfaces.

A lanyard can also be added to the end of the product so the remote can hang from a hook.

### PRODUCT DIMENSIONS:

D: 58 mm. x W: 140 mm.

### PRODUCT WEIGHT:

Base remote weight: 48 g.

### OPERATION AC/DC:

DC

### BATTERY TYPE:

3 x AAA batteries supplied with the Smart Remote.

### LOW BATTERY INDICATION:

A short acoustic beep will sound to notify a low battery voltage.

### INTERLINK FREQUENCY:

868MHZ

### SIGNALS:

Transmits RF signals to the CAVIUS Wireless Family at alarm.

### INTERLINK RANGE:

Minimum 100m in open field as a receiver, and within short range to silence an alarm. Range depends on the building materials and will need to be tested in each individual case.

### SOUND:

Audible indicator.

### PUSH BUTTON:

The Smart Remote is equipped with 3 switches:

Sliding learn switch to connect to other alarms in the wireless family.

Test/hush button at the end. Torch button on the side.

### WARRANTY:

10 year

### APPROVALS:

EN60065

RED

RoHS

REACH

### CE TESTING INSTITUTE:

SGS

### AWARDS:



reddot design award  
winner

### ASSOCIATIONS AND COMMITTEES:

CAVIUS is member of the NF292 committee.

CAVIUS is member of GIFSID, manufacturers' association of domestic fire safety equipment.



**PRODUCT NAME:** CAVIUS SMART REMOTE

**PRODUCT NUMBER:** CV9001

## PRODUCT DATA:

### OPERATING TEMPERATURE:

+4°C to +38°C (tested from 0 degrees to 55 degrees)

### OPERATING HUMIDITY:

Up to 90% RH non-condensing

### STORAGE TEMPERATURE:

-20°C to +60°C

### STORAGE HUMIDITY:

Up to 93% RH non-condensing

## QUALITY ASSURANCE:

### POWER CONSUMPTION:

100% tested

### BATTERY VOLTAGE AND INTERNAL RESISTANCE:

100% tested

### ALARM FUNCTION:

100% tested

### INTERCONNECTION:

100% tested

### VISUAL APPEARANCE:

100% tested

### PACKING CONTENT:

100% tested

## CONTACT

[UKsales@cavius.com](mailto:UKsales@cavius.com)


[www.cavius.co.uk](http://www.cavius.co.uk)

## MANUFACTURER

Manufacturer: CAVIUS Aps, DK8600

# CAVIUS

WIRELESS  
ALARM FAMILY



SMART  
REMOTE

